



## Aptio AMISCE 5.03 Release Notes

# Aptio AMISCE Release Notes (Windows Version)

Document Revision 1.21

---

*Document Owner: Utility Group*

May 29, 2017



Confidential, NDA Required  
Copyright © 2017

American Megatrends, Inc.  
5555 Oakbrook Parkway  
Suite 200  
Norcross, GA 30093 (USA)

All Rights Reserved  
Property of American Megatrends, Inc.

# Legal

## Disclaimer

This publication contains proprietary information which is protected by copyright. No part of this publication may be reproduced, transcribed, stored in a retrieval system, translated into any language or computer language, or transmitted in any form whatsoever without the prior written consent of the publisher, American Megatrends, Inc. American Megatrends, Inc. retains the right to update, change, modify this publication at any time, without notice.

## For Additional Information

Call American Megatrends, Inc. at 1-800-828-9264 for additional information.

## Limitations of Liability

In no event shall American Megatrends be held liable for any loss, expenses, or damages of any kind whatsoever, whether direct, indirect, incidental, or consequential, arising from the design or use of this product or the support materials provided with the product.

## Limited Warranty

No warranties are made, either expressed or implied, with regard to the contents of this work, its merchantability, or fitness for a particular use. American Megatrends assumes no responsibility for errors and omissions or for the uses made of the material contained herein or reader decisions based on such use.

## Trademark and Copyright Acknowledgments

Copyright © 2017 American Megatrends, Inc. All Rights Reserved.

American Megatrends, Inc.  
5555 Oakbrook Parkway  
Suite 200  
Norcross, GA 30093 (USA)

All product names used in this publication are for identification purposes only and are trademarks of their respective companies.

## Document Change History

| Date       | Revision | Description  |
|------------|----------|--|
| 2009-10-07 | 1.00     | Initial draft  |
| 2009-10-23 | 1.01     | Update Requirement and Add Notes section   |
| 2010-08-26 | 1.04     | Added UEFI 2.1 support, support for SMIVariable modifications for extracting database in pieces. |
| 2010-11-03 | 1.05     | Updated for release 2.00.1020  |
| 2011-07-26 | 1.06     | Updated according to document standards.   |
| 2011-04-10 | 1.07     | Release 2.01.1030  |
| 2012-10-15 | 1.08     | Output a comment for checkbox controls. Fix proble with checksum output on raw script            |
| 2013-08-05 | 1.09     | Updated for release 2.02.1044  |
| 2013-09-26 | 1.10     | Updated for release 2.03.1047  |
| 2013-10-11 | 1.11     | Updated for release 5.00.1048  |
| 2014-01-02 | 1.12     | Updated supported OS list  |
| 2014-05-16 | 1.13     | Updated for release 5.00.1059  |
| 2014-08-06 | 1.14     | Updated for release 5.00.1068  |
| 2014-10-01 | 1.15     | Updated feature list with new features for v5.01<br>Updated version history for v5.01.1073       |
| 2016-02-08 | 1.16     | Updated for release 5.02.1092  |
| 2016-06-06 | 1.17     | Updated for release 5.02.1097  |
| 2016-12-26 | 1.18     | Updated for release 5.03.1102  |
| 2017-02-06 | 1.19     | Updated for release 5.03.1107  |
| 2017-04-04 | 1.20     | Updated for release 5.03.1109  |
| 2017-05-29 | 1.21     | Updated for release 5.03.1111  |

## Release

- V5.03.1111 29 May 2017

## Deliverables

- SCEWIN.EXE
- SCEWIN\_64.EXE
- Amifldr32.sys
- Amifldr64.sys
- AMI\_Aptio\_5.x\_SCE\_User\_Guide\_NDA.pdf
- AMI\_Aptio\_SCE\_Release\_Notes\_NDA.pdf

## Features

The following features are supported:

- Generates Setup Question script with relevant information for modification by user.
- NVRAM values can be updated based on modifications to Setup Question script file.
- Ability to modify the defaults for the Setup Question controls.
- Verbose mode for detailed generation of the script file.
- Reads NVRAM variables and HII database from BIOS at run time to create files that can be used as input to a setup emulation program. The NVRAM script file may be edited as text. Implemented for Windows.
- Loads the NVRAM script file created above and updates NVRAM.
- Command line operation.
- Optional user password check
- APTIOV support
- Supports mapping language.
- Provision to specify mapping language.
- Supports expression evaluation.
- Supports blocking of migration.
- Unlocks protected variable update with administrator password.
- Support to change user/admin password
- Supports suppression of duplicate questions.
- Support to export only questions whose value is different from default.
- Aptio V BIOS Identification.
- Get SMI port from ACPI table

- Support to change question values from command line.
- Support for PLDM export and import.
- Support for efivarstore type variables.
- Support for negative numbers as values for controls.
- Support to hide banner.
- Support to read single question value from command line.
- Support to identify suppressed and grayedout forms and controls in script file.
- SMM communication support.

## Supported Operating Systems

The AMISCE is supported by the following operating systems:

- Microsoft® Windows® XP
- Microsoft® Windows® 2003
- Microsoft® Windows® Vista
- Microsoft® Windows® 7
- Microsoft® Windows® PE
- Microsoft® Windows® Server 2012 R2
- Microsoft® Windows® 8
- Microsoft® Windows® 8.1
- Microsoft® Windows® 10
- Microsoft® Windows® Server 2016

Note: Starting from Microsoft Windows® 7 in all the windows Operating System the Application requires Administrator privileges to be executed. The command box from which SCE is run must have been launched using “Run As Administrator”.

## Compatibility

- Requires “SmiVariable” eModule support to be provided by EFI BIOS. The module can be found at:  
Aptio V: \$/AptioV/Source/Modules/SmiVariable labeled 5.004\_SmiVariable\_00 or later  
Aptio 4: \$/Alaska/BIN/Modules/SmiVariable labeled 4.6.3\_SmiVariable\_1.2 or later.
- For update of default values to be effective, the TSE module must be labeled  
4.6.2\_TSE\_2\_02\_1205\_BETA or later (for Aptio4) and 5.004\_AmiTse\_13 or later (for AptioV).
- The password feature requires the OFBD driver module.
- Requires ‘AmiSetupNvLock’ BIOS module for NVRAM variable update protection. The module can be found at: Aptio V: \$/AptioV/Source/Modules/AMISetupNvLock labeled  
5.004\_AmiSetupNvLock\_1\_05 or later  
Aptio 4: \$/Alaska/SOURCE/Modules/AMISetupNvLock labeled 4.6.2\_AmiSetupNvLock\_1\_02 or later

- If present, TSE token RT\_ACCESS\_SUPPORT\_IN\_HPKTOOL must be enabled.
- Bios version check requires:
  - ACPI label 'ACPI\_06' or later for Aptio V.
  - ACPI label '4.6.5.0\_ACPI\_48' or later for Aptio 4.
- For update of question values from command line and PLDM support , the Aptio firmware should have the mapping language support enabled. The default mapping language is x-AMI in Core 5.12 or below and x-UEFI-AMI in Core 5.13 or above. To enable the mapping language, add the language code to RFC\_LANGUAGES token.

## Limitations

- Minimum / maximum values of a numeric control are not exported to the script file.
- Questions with the same help string name are considered to be ambiguous on UEFI 2.0 BIOS.
- Questions which depends on runtime service access variable only can support expression evaluation.

## Version History

### SCE WIN

Ver 5.03.1111                      05/29/2017

#### Issues Fixed

- [Quanta-SVR][A56] Grayout and Suppress setup items in Runtime Error Logging page display abnormally in SCE dumped file. (EIP – 324479)

Ver 5.03.1109                      04/04/2017

#### Issues Fixed

- Upgrade AMISCE Windows to work if driver allocated memory address is greater than 4GB. (EIP – 325058)

Ver 5.03.1107                      02/06/2017

#### New Features

- SMM communication algorithm needs to be modified in SCE for windows (EIP – 310679)

Ver 5.03.1102                      12/26/2016

#### New Features

- Negative number input support for SCE utility. (EIP - 256676)

- Option to hide banner in SCE. (EIP - 291217)
- Support to read single question from command line. (EIP - 286488)
- SCE needs to handle default mapping language x-AMI and x-UEFI-AMI the same. (EIP - 278203)
- PLDM: Support to specify mapping language. (EIP - 278991)
- Introduce a new switch with SCE tool , which can output grayout and suppress items in one dumped file. (EIP - 288280)
- Suppressed form's all control should be in commented out format with /ce switch. (EIP - 292718)

### Issues Fixed

- SCELN-Modify setup item fail if setup item string include "@". (EIP - 260987)
- Some item will not be filter out properly when using SCE /g command in shell. (EIP - 283721)

Ver 5.02.1097

06/06/2016

### New Features

- Provide efivarstore type variable support in AMISCE (EIP-264084)
- Improve expression evaluation logic (in OS version) to evaluate nested expressions even if parent expression fails to evaluate. (EIP 253128)

Ver 5.02.1092

08/02/2016

### New Features

- Change question value from command line (EIP: 234918)
- Support for PLDM export and import (EIP: 190945, 241871, 243898)
- Function request for disabling boot options via SCE tool. (EIP 235175)

### Issues Fixed

- Typographical error (EIP 236384)
- Windows and Linux version SCE tool still dump hidden options when using parameter /v /g /sp (EIP 225595)
- Warning during import is not suppressed by the /q flag. (EIP 246565)
- Tool SCELN\_64 cannot dump successful with command /g /sp in UEFI RHEL 7.1 OS. (EIP 223189)

Ver 5.01.1073

10/01/2014

### New Features

- Enhanced export mode: Comment out duplicate questions. (EIP 169273)
- Get the SMI port number from ACPI table and use that in SCE (EIP 132634)

- Migration mode: Only export questions whose value is different from the default (EIP 168203)
- Change user/admin password for BIOS setup (EIP 171710)
- Provision to specify mapping language (EIP 147195)

Ver 5.00.1068      08/06/2014

### **Issues Fixed**

- AMISCE cuts off one-of option value when data width greater than 2 bytes. Also current setting '\*' is missing. (EIP 178800)

Ver 5.00.1059      05/16/2014

### **New Features**

- Admin password to unlock variable access ( EIP 168125)
- Suppress output of questions with blank or empty names. If /lang present suppress output of questions without x-AMI string.(EIP 154739)
- Block SCE execution on non Aptio V platforms' (EIP 121820)

### **Issues Fixed**

- AMISCE gives syntax error during script file import on Sugarbay platform - EIP 167123

Ver 5.00.1048      10/07/2013

- Release for AptioV

Ver 2.03.1047      09/26/2013

### **Issues Fixed**

- QA reported issues fixed.

Ver 2.02.1044      08/05/2013

### **New Features**

- APTIOV support
- Improve handling of duplicated or unmatched questions
- Output subtitles as comments to SCE scripts
- SCE work with mapping language
- Support management of migration feature including blocking migration via command line switch
- Add support for question evaluation to SCE



- Add command option to SCE to control export/import of boot order controls
- Substitute variable inside StdDefaults when a variable for a formset is missing
- Support for /sp command for suppress if opcode and /g command for grayout.
- Support for suppressing forms and submenu items

### Issues Fixed

- Aptio V - SCE\_WIN64 crushed during retrieving data from an AptioV BIOS - EIP95126
- SCEWIN not work under Win8 - EIP95654
- AMISCE does not properly handle 32 and 64 bit numeric control nor can it properly limit check signed numeric controls. – EIP 100678
- SCEWIN utility tool can't work – 96822
- SCE boot option question overflows buffer and uses wrong case for hex digits when reading Bootnnnn variable – EIP 106102
- Some versions of SCE lose the % character in question names – EIP 113274
- SCE question mismatch when prompt has trailing space – EIP 118838
- SCE tool is not updating the boot order properly - EIP 113459

Ver 2.01.1030

04/10/2012

### New Features

- Add /ds and /dm command line switch to load defaults from control value.
- Add '/q' command line switch to suppress warning messages.
- AMISCE to work with security update to SMIVariable
- Add password feature.
- Implement string controls.

### Issues Fixed

- Fix Controls with extreme number of options cause SCE to not list all options.
- Fix in parser error and warning messages.
- Fix failure to show options under nested suppressif..
- Prevent corruption of LegacyBootOrder variable
- Fix failure to report success on raw import when final variable is read-only.
- Allow raw import to change size of variable data.
- Fix Controls with extreme number of options cause SCE to not list all options.
- Fix failure to get strings when system language not English.
- Fix language control in exported script.

- Add checks for invalid options. Previously invalid values were accepted.

Ver 2.00.1020

11/3/2010

### **New Features**

- Added support to UEFI 2.1 in both 32 and 64 bit
- Added Standard (BIOS) / Manufacturing defaults update feature

### **Issues Fixed**

- SCEWin 32 bit can't work with some memory - EIP 46612

Ver 2.00.1004

Ver 2.00.0002

5/17/2010

- Initial release.

## **Notes:**

AMISCE expects scripts in the format as specified by the specification. White space and Empty Lines at the start of the script is not allowed.